



tenias

Brochure

*of front loader and implements
for models*



SAME

**DRP System ®
AUTOMATIC LOADER HITCH**




It allows secure and simple loader coupling and uncoupling.

SAFETY VALVES




It regulates the pressure of hydraulics cylinders avoiding over pressures and unexpected breakages.

DETAIL INSIDE ARM




**AUTO LUBRICANT BUSHINGS
IN EACH JOINT**



Bushings in each joint, with greasers in the most problematic areas, ensure the sustainability of the whole.

**DRC System ®
AUTOMATIC HITCH FOR IMPLEMENTS**



Only few seconds are needed to hitch or unhitch implements

DR2B System ® / DR4B System ®



Fast hydraulic plugging with flat tips allowing more cleanliness and plugging with residual pressure.



OPTIONS

**AH System ®
SHOCK ABSORBER**



A good confort is obtained for the user as well as protection for all components during transport.




**SERVICE LINE FOR HYDRAULIC
IMPLEMENTS**




**MS System ®
JOYSTICK**

Operating plan for joystick



Operated from a joystick that allows two moves simultaneously.



**PAINT FINISH IN
DIFFERENT COLORS**



serie evolution




SUBFRAME DESIGNED FOR EACH TRACTOR MODEL

It's the loader main part and the basis of its proper functioning. It consists of a set of different pieces distributed from the front of the tractor to its back axle, obtaining an uniform repartition of the efforts.

| model | te7 | te8 | te9 | te10 | te20 | te30 | te40 |
|-------|-----|-----|-----|------|------|------|------|
|-------|-----|-----|-----|------|------|------|------|

- CONTAIN**
- Adaptation
 - Arms
 - Hydraulic installation (Electrovalve, Distributor or tractor remote control)
 - All elements for work (Cylinders, Hoses, Connections, .. etc.)
 - DRB standard.

- DON'T CONTAIN**
- Buckets
 - Forks



NOTE: Mesures given can vary according to the tractor model.

Measurements were taken at 190 bar and with a weight placed on pallet fork.

I Start-up power
J Payload at 2,00 mts.
K At max. height

| MOD. PALA | A | B | C | D | E | F | G | H | I | J | K |
|-----------|------|------|------|------|-----|-----|-----|-----|----------|----------|----------|
| te6 | - | - | - | - | - | - | - | - | 914 Kgs | - | 400 Kgs |
| te7 | 2540 | 2410 | 1832 | 1300 | 55° | 78° | 49° | 149 | 1024 Kgs | - | 724 Kgs |
| te8 | 2846 | 2690 | 2000 | 1420 | 64° | 72° | 54° | 134 | 1960 Kgs | - | 1250 Kgs |
| te9 | 3142 | 2909 | 2295 | 1469 | 64° | 75° | 57° | 211 | 2044 Kgs | - | 1362 Kgs |
| te10 | 3720 | 3484 | 2887 | 1706 | 64° | 74° | 57° | 214 | 2728 Kgs | 2068 Kgs | 1628 Kgs |
| te20 | 4051 | 3815 | 3197 | 1792 | 64° | 75° | 59° | 214 | 2160 Kgs | 1824 Kgs | 1530 Kgs |
| te30 | 4301 | 4065 | 3447 | 1970 | 62° | 74° | 57° | 214 | 2858 Kgs | 2133 Kgs | 1755 Kgs |
| te40 | 4564 | 4327 | 3708 | 2140 | 62° | 74° | 57° | 214 | 3177 Kgs | 2550 Kgs | 2215 Kgs |

SILAGE SHEARS



| WIDTH (mts) | TEETH | GRIP OPENING (mm) | WEIGHT (Kgs) |
|-------------|-------|-------------------|--------------|
| 1,50 | 13 | 805 | 480 |
| 1,75 | 15 | 805 | 528 |

STONE BUCKET



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 1,75 | 618 | 772 | 284 |
| 2,00 | 707 | 883 | 331 |

MANURE FORK



| WIDTH (mts) | TEETH | TINE LENGTH (mm) | WEIGHT (Kgs) |
|-------------|-------|------------------|--------------|
| 1,50 | 8 | 850 | 163 |
| 1,75 | 9 | 850 | 189 |
| 2,00 | 11 | 850 | 210 |
| 2,20 | 11 | 850 | 258 |

SUGAR BEET BUCKET



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 2,00 | 813 | 1016 | 251 |
| 2,40 | 988 | 1235 | 326 |

LOG GRIP



| WIDTH (mm) | GRIP OPENING (mm) | CYLINDER INSIDE DIAMETER (mm) | WEIGHT (mm) |
|------------|-------------------|-------------------------------|-------------|
| 1170 | 930 | 80 | 276 |

HYDRAULIC MANURE FORK



| WIDTH (mts) | TEETH | GRIP OPENING (mm) | WEIGHT (Kgs) |
|-------------|-------|-------------------|--------------|
| 1,50 | 8 | 1265 | 297 |
| 1,75 | 9 | 1265 | 330 |
| 2,00 | 11 | 1265 | 360 |
| 2,20 | 11 | 1265 | 410 |

BUCKET 4 IN 1



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 1,75 | 468 | 585 | 383 |
| 2,00 | 535 | 668 | 438 |

SILAGE BUCKET "TIBURON"



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 2,00 | 1113 | 1391 | 520 |
| 2,20 | 1228 | 1535 | 542 |
| 2,40 | 1343 | 1678 | 570 |

ROUND BALES FORK



| WIDTH (mm) | WIDTH TEETH (mm) | TEETH | WEIGHT (Kgs) |
|------------|------------------|-------|--------------|
| 1172 | 800 | 2 | 101 |

SUGAR CANE GRIP



| WIDTH (mm) | OUVERTURE PINCE (mm) | GRIP OPENING (mm) | WEIGHT (Kgs) |
|------------|----------------------|-------------------|--------------|
| 1195 | 970 | 1265 | 286 |

POTATO BUCKET



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 2,20 | 1103 | 1378 | 363 |
| 2,40 | 1217 | 1521 | 396 |

STANDARD BUCKET



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 1,25 | 353 | 441 | 169 |
| 1,50 | 423 | 528 | 199 |
| 1,75 | 494 | 617 | 218 |
| 2,00 | 564 | 705 | 260 |
| 2,20 | 621 | 776 | 269 |
| 2,40 | 677 | 846 | 295 |

PELICAN BUCKET



| WIDTH (mts) | TEETH | GRIP OPENING (mm) | WEIGHT (Kgs) |
|-------------|-------|-------------------|--------------|
| 1,50 | 8 | 1165 | 298 |
| 1,75 | 9 | 1165 | 320 |
| 2,00 | 11 | 1165 | 374 |
| 2,20 | 11 | 1165 | 445 |

GRAIN BUCKET



| WIDTH (mts) | CAPACITY (litros) | CAPACITY (litros) | WEIGHT (Kgs) |
|-------------|-------------------|-------------------|--------------|
| 1,80 | 812 | 1015 | 277 |
| 2,00 | 903 | 1128 | 298 |
| 2,20 | 993 | 1241 | 319 |
| 2,40 | 1083 | 1353 | 340 |

High-tip option

SILAGE BUCKET



| WIDTH (mts) | CAPACITY (liters) | CAPACITY (liters) | WEIGHT |
|-------------|-------------------|-------------------|--------|
| 2,00 | 903 | 1128 | 484 |
| 2,40 | 1083 | 1353 | 566 |

SQUARE BALES FORK



| WIDTH (mm) | HEIGHT (mm) | TEETH | WEIGHT (Kgs) |
|------------|-------------|-------|--------------|
| 1775 | 1350 | 5 | 224 |

SLIDING SQUARE BALES FORK



| WIDTH (mm) | HEIGHT (mm) | TEETH | WEIGHT (Kgs) |
|------------|-------------|-------|--------------|
| 1775 | 1350 | 5 | 327 |

SIDE-SHIFT PALET FORK



| ALLOWED WEIGHT (Kgs) | TINE LENGTH (mm) | MAX. TINE WIDTH DENT (mm) | WEIGHT (Kgs) |
|----------------------|------------------|---------------------------|--------------|
| 1500 | 1225 | 1060 | 290 |

Side Dump option

WRAPPED ROUND BALES GRIP (economic)



| WIDTH (mts) | TEETH OPEN (mm) | TEETH CLOSED (mm) | WEIGHT (Kgs) |
|-------------|-----------------|-------------------|--------------|
| 1,16 | 2080 | 70 | 150 |

STANDARD PALET FORK



| ALLOWED WEIGHT (Kgs) | TINE LENGTH (mm) | MAX. TINE WIDTH DENT (mm) | WEIGHT (Kgs) |
|----------------------|------------------|---------------------------|--------------|
| 1500 | 1240 | 1065 | 173 |

WRAPPED ROUND BALES GRIP



| WIDTH (mm) | TEETH OPEN (mm) | TEETH CLOSED (mm) | WEIGHT (Kgs) |
|------------|-----------------|-------------------|--------------|
| 1312 | 1305 | 2640 | 282 |

| MODELO DE TRACTOR | serie | MODELO DE PALA | | | | | | serie 300 | OBS. |
|------------------------|------------|----------------|-----|-----|------|------|------|-----------|------|
| | | te7 | te8 | te9 | te10 | te20 | te30 | | |
| 35 | SOLARIS | ● | | | | | | B000 | 19 |
| 40 EI (ST-DT) | TIGER | | | ● | | | | B0 | |
| 45 | SOLARIS | ● | | | | | | B000 | 19 |
| 50 | ARGON | | | | ● | | | B1 | |
| 50 | SOLAR | | | | ● | | | B1 | |
| 50 | SOLARIS | ● | | | | | | B000 | 19 |
| 50 EI-EII-EIII (ST-DT) | TIGER | | | ● | | | | B0 | |
| 55 F | ARGON | | | ● | | | | B0 | 9 |
| 55 | CONDOR | | | | ● | | | B1 | |
| 55 | DORADO | | | | ● | | | B1 | |
| 55 | SOLARIS | ● | | | | | | B000 | 19 |
| 55 | COMMANDO | | | ● | | | | B0 | |
| 55 | AGROMAX | | | ● | | | | B0 | |
| 60 | ARGON | | | | ● | | | B1 | |
| 60 | ASTER | | | | ● | | | B1 | |
| 60 | DORADO | | | | ● | | | B1 | |
| 60 II Special | EXPLORER | | | | ● | | | B1 | |
| 60 | FRUTTETO | | | ● | | | | B0 | |
| 60 II | FRUTTETO | | | ● | | | | B0 | |
| 60 | MINITAURO | | | | ● | | | B1 | |
| 60 | MINITAURUS | | | | ● | | | B1 | |
| 60 | SOLAR | | | | ● | | | B1 | |
| 60 | TIGER | | | ● | | | | B0 | 7-23 |
| 60 | VIGNERON | | | ● | | | | B0 | |
| 60 | COMMANDO | | | ● | | | | B0 | |
| 60 | AGROMAX | | | ● | | | | B0 | |
| 60 EI-EII-EIII (ST-DT) | TIGER | | | ● | | | | B0 | |
| 62 | VIGNERON | | | ● | | | | B0 | |
| 65 F | ARGON | | | ● | | | | B0 | 9 |
| 65 | ARGON 3 | | | ● | | | | B0 | 7 |
| 65 | DORADO | | | | ● | | | B1 | |
| 65 | TIGER | | | ● | | | | B0 | 7-23 |
| 65 EI-EII-EIII (ST-DT) | TIGER | | | ● | | | | B0 | |
| 65 2WD - 4WD | ARGON 3 | | | ● | | | | B0 | 7 |
| 70 | TIGER | | | ● | | | | B0 | 7-23 |
| 70 EI-EII-EIII (ST-DT) | TIGER | | | ● | | | | B0 | |
| 70 E | TIGER | | | ● | | | | B0 | 23 |
| 70 | ARGON | | | | ● | | | B1 | |
| 70 Clasic | ARGON | | | | ● | | | B1 | |
| 70 F Clasic | ARGON | ● | | | | | | B00 | |
| 70 | ASTER | | | | ● | | | B1 | |
| 70 Special | CENTAURO | | | | ● | | | B1 | |
| 70 | CORSARO | | | | | ● | | B2 | |
| 70 F | CORSARO | | | | ● | | | B1 | |
| 70 | DORADO | | | | ● | | | B1 | |
| 70 V | DORADO | | | ● | | | | B0 | 13 |
| 70 S | DORADO | | | ● | | | | B0 | 13 |
| 70 | EXPLORER | | | | | ● | | B2 | |
| 70 Special | EXPLORER | | | | | ● | | B1 | |
| 70 Special PB | EXPLORER | | | | | ● | | B1 | |
| 70 II Special | EXPLORER | | | | ● | | | B1 | |
| 70 II Special PB | EXPLORER | | | | ● | | | B1 | |
| 75 F | ARGON | | | ● | | | | B0 | 9 |
| 75 | ARGON 3 | | | ● | | | | B0 | 7-23 |
| 75 | CENTURION | | | | ● | | | B1 | |
| 75 Export | CENTURION | | | | ● | | | B1 | |
| 75 Special | CENTURION | | | | ● | | | B1 | |
| 75 | DORADO | | | | ● | | | B1 | |
| 75 F | DORADO | | | ● | | | | B0 | 2-13 |
| 75 S | DORADO | | | ● | | | | B0 | 13 |

| MODELO DE TRACTOR | serie | MODELO DE PALA | | | | | | serie 300 | OBS. |
|------------------------|--------------|----------------|-----|-----|------|------|------|-----------|-----------|
| | | te7 | te8 | te9 | te10 | te20 | te30 | | |
| 75 V | DORADO | | | ● | | | | B0 | 13 |
| 75 Clasic | EXPLORER | | | | | ● | | B2 | |
| 75 NEW | EXPLORER | | | | | ● | | B2 | 23 |
| 75 T | EXPLORER | | | | | ● | | B2 | 1 |
| 75 TB T2 | EXPLORER | | | ● | | | | B0 | |
| 75 | FRUTTETO | | | ● | | | | B0 | |
| 75 II | FRUTTETO | | | ● | | | | B0 | 22 |
| 75 | FRUTTETO II | | | ● | | | | B0 | |
| 75 V | GOLDEN | | | ● | | | | B0 | |
| 75 | TIGER | | | ● | | | | B0 | 7-23 |
| 75 EI-EII-EIII (ST-DT) | TIGER | | | ● | | | | B0 | |
| 75 2WD - 4WD | ARGON 3 | | | ● | | | | B0 | |
| 75 | VIGNERON | | | ● | | | | B0 | |
| 75.4 | TIGER | | | ● | | | | B1 | 7-23 |
| 75.4 | TIGER E2 | | | ● | | | | B1 | |
| 75,4 EI 2WD | TIGER | | | ● | | | | B1 | |
| 75,4 EI 4WD | TIGER | | | ● | | | | B1 | |
| 75,4 EII 2WD | TIGER | | | ● | | | | B1 | |
| 75,4 EII 4WD | TIGER | | | ● | | | | B1 | |
| 80 | ARGON 3 | | | ● | | | | B1 | |
| 80 EIII 2WD | ARGON 3 | | | ● | | | | B1 | |
| 80 EIII 4WD | ARGON 3 | | | ● | | | | B1 | |
| 80 II | EXPLORER | | | | | ● | | B2 | 12 |
| 80 II Special PE | EXPLORER | | | | ● | | | B1 | 1 |
| 80 II Top | EXPLORER | | | | | ● | | B2 | |
| 80 Special | EXPLORER | | | | | ● | | B2 | 1 |
| 80 Clasic | FRUTTETO III | | | ● | | | | B0 | 2 |
| 80 | SATURNO | | | | | ● | | B2 | |
| 80 | SILVER | | | | | ● | | B2 | 1-42 |
| 80 (ITALIA) | EXPLORER | | | | ● | | | B2 | |
| 80,4 | TIGER | | | ● | | | | B1 | |
| 85 | DORADO | | | | ● | | | B1 | |
| 85 NEW | EXPLORER | | | | | ● | | B2 | 23 |
| 85 T | EXPLORER | | | | | ● | | B2 | 1 |
| 85 TB T2 | EXPLORER | | | ● | | | | B0 | 1 |
| 85 (ITALIA) | EXPLORER | | | | ● | | | B2 | |
| 85 | EXPLORER 3 | | | | | ● | | B1 | |
| 85 T | EXPLORER 3 | | | | | ● | | B1 | |
| 85 TB T3 | EXPLORER 3 | | | ● | | | | B0 | |
| 85 II | FRUTTETO | | | ● | | | | B0 | 22 |
| 85 | GOLDEN | | | ● | | | | B0 | |
| 85 | LEOPARD | | | | | ● | | B2 | |
| 85 | MERCURI | | | | ● | | | B1 | |
| 85 | SILVER 2 | | | | | | ● | B3 | 1 |
| 86 | DORADO | | | ● | | | | B0 | 23 |
| 86 Clasic | DORADO | | | | | ● | | B1 | |
| 90 | DORADO 3 | | | | | ● | | B1 | 4-23 |
| 90 Clasic | DORADO 3 | | | | | ● | | B1 | |
| 90 F | DORADO | | | ● | | | | B0 | 2-13 |
| 90 V | DORADO | | | ● | | | | B0 | 13 |
| 90 II | EXPLORER | | | | | ● | | B2 | 12 |
| 90 II TOP | EXPLORER | | | | | ● | | B2 | |
| 90 ROW CROP | EXPLORER | | | | | ● | | B2 | 1 |
| 90 Special | EXPLORER | | | | | ● | | B2 | 1 |
| 90 II Special | EXPLORER | | | | | ● | | B2 | 1 |
| 90 (ITALIA) | EXPLORER | | | | ● | | | B2 | |
| 90 GS E3 | EXPLORER 3 | | | | ● | | | B1 | |
| 90 | FRUTTETO II | | | ● | | | | B0 | |
| 90 Clasic | FRUTTETO 3 | | | ● | | | | B0 | 1-7-13-23 |
| 90 EIII | FRUTTETO 3 | | | ● | | | | B0 | 1-7-13-23 |

| MODELO DE TRACTOR | serie | MODELO DE PALA | | | | | | serie 300 | OBS. |
|-------------------------|-----------------|----------------|-----|-----|------|------|------|-----------|-----------|
| | | te7 | te8 | te9 | te10 | te20 | te30 | | |
| 90 EIII | FRUTTETO 3 | | | ● | | | | B0 | 1-7-13-23 |
| 90 S | FRUTTETO 3 | | | ● | | | | B0 | 1-7-13-23 |
| 90 | LASER | | | | | ● | | B2 | |
| 90 | LEOPARD | | | | | ● | | B2 | |
| 90 | SILVER 2 | | | | | | ● | B3 | 1 |
| 90.4 GS | DORADO | | | | ● | | | B1 | |
| 90.4 | EXPLORER HD T4i | | | | | ● | | B2 | |
| 90.4 CLASSIC | DORADO | | | | ● | | | B1 | |
| 90 t4i | VIRTUS J | | | | ● | | | B1 | |
| 95 NEW | EXPLORER | | | | | ● | | B2 | 23 |
| 95 Clasic | EXPLORER | | | | | ● | | B2 | |
| 95 | SILVER 2 | | | | | | ● | B3 | 1 |
| 95 | PANTER | | | | | ● | | B2 | |
| 95 Export | JAGUAR | | | | | ● | | B2 | |
| 95 T | EXPLORER | | | | | ● | | B2 | 1 |
| 95 TB T2 | EXPLORER | | | ● | | | | B0 | 1 |
| 95 (ITALIA) | EXPLORER | | | | ● | | | B2 | |
| 95 SPECIAL (COSTA RICA) | EXPLORER | | | | ● | | | B1 | |
| 100 | ANTARES | | | | | ● | | B2 | 12 |
| 100 F | DORADO | | | ● | | | | B0 | 2-13 |
| 100 V | DORADO | | | ● | | | | B0 | 13 |
| 100 | DORADO 3 | | | | ● | | | B1 | |
| 100 HI-LINE | DORADO 3 | | | ● | | | | B1 | 7-23 |
| 100 (ITALIA) | EXPLORER | | | | ● | | | B2 | |
| 100 | EXPLORER 3 | | | | ● | | | B1 | |
| 100 T | EXPLORER 3 | | | | ● | | | B1 | |
| 100 TB | EXPLORER 3 | | | | ● | | | B1 | |
| 100 | FRUTTETO II | | | ● | | | | B0 | |
| 100 | FRUTTETO 3 | | | ● | | | | B0 | 1-13 |
| 100 S | FRUTTETO 3 | | | ● | | | | B0 - B1 | 1-13 |
| 100 Export | JAGUAR | | | | | ● | | B2 | |
| 100 | LASER | | | | | | ● | B3 | |
| 100 | NITRO | | | | | | ● | B3 | |
| 100 | IRON | | | | | | ● | B3 | |
| 100.6 | ROW CROP | | | | | | ● | B3 | |
| 100.4 | SILVER | | | | | ● | | B2 | 4 |
| 100.4 | DORADO | | | | ● | | | B1 | |
| 100.6 | SILVER | | | | | ● | | B2 | |
| 100 | TIGER | | | | | ● | | B2 | |
| 100 | VIRTUS | | | | ● | | | B2-B1 | 7-23 |
| 100 t4i | VIRTUS J | | | | ● | | | B1 | |
| 105 GS E3 | EXPLORER 3 | | | | | ● | | B2 | |
| 105 GS E3 | EXPLORER 3 | | | | | ● | | B2 | |
| 105 | SILVER | | | | | ● | | B2 | |
| 105 SIX | TIGER | | | | | ● | | B2 | |
| 105 T Clasic | EXPLORER 3 | | | | ● | | | B1 | |
| 105 TB GS-E3 | EXPLORER 3 | | | | ● | | | B1 | |

| MODELO DE TRACTOR | serie | MODELO DE PALA | | | | | | serie 300 | OBS. |
|-------------------|-----------------|----------------|-----|-----|------|------|------|-----------|---------|
| | | te7 | te8 | te9 | te10 | te20 | te30 | | |
| 105.4 | EXPLORER HD T4i | | | | | ● | | B2 | |
| 110 ZINC | ANTARES | | | | | | ● | B3 | |
| 110 EIII | EXPLORER 3 | | | | ● | | | B1 | |
| 110 | IRON | | | | | | ● | B3 | |
| 110 HILINE | IRON | | | | | | ● | B3 | 7-23-61 |
| 110 | LASER | | | | | | ● | B3 | |
| 110 | NITRO | | | | | | ● | B3 | |
| 110 | SILVER | | | | | | ● | B3 | 1-22 |
| 110 | SILVER 3 | | | | ● | | | B1 | |
| 110 | VIRTUS | | | | | ● | | B2-B1 | 7-23 |
| 110 t4i | VIRTUS J | | | | ● | | | B1 | |
| 115 HILINE | IRON | | | | | | ● | B3 | 7-23-61 |
| 115 GS E3 | EXPLORER 3 | | | | | ● | | B2 | |
| 115.4 | EXPLORER HD T4i | | | | | ● | | B2 | |
| 120 | DRAGO | | | | | | ● | B3 | |
| 120 t4i | VIRTUS J | | | | | ● | | B1 | |
| 130 ZINC | ANTARES | | | | | | ● | B3 | |
| 130 | BUFALO | | | | | | ● | B3 | |
| 130 | IRON | | | | | | ● | B3 | 61 |
| 130 HILINE | IRON | | | | | | ● | B3 | 61 |
| 130 | LASER | | | | | | ● | B3 | |
| 130 | LASER 2 | | | | | | ● | B3 | |
| 130 | SILVER | | | | | | ● | B3 | 1-22 |
| 140 | LASER 3 | | | | | | ● | B3 | |
| 140 | FORTIS | | | | | | ● | B4 | |
| 140 HILINE | IRON | | | | | ● | | B3 | 61 |
| 145 | TITAN | | | | | | ● | B4 | |
| 150 | IRON | | | | | | ● | B4 | 61 |
| 150 | FORTIS | | | | | | ● | B4 | |
| 150 | LASER | | | | | | ● | B4 | |
| 150 | RUBIN | | | | | | ● | B4 | |
| 150.7 | IRON | | | | | | ● | B4 | 61 |
| 160 | TITAN | | | | | | ● | B4 | |
| 160 | FORTIS | | | | | | ● | B4 | |
| 160 HILINE | IRON | | | | | | ● | B4 | 61 |
| 165 | IRON | | | | | | ● | B4 | 5-6-61 |
| 165.7 | IRON | | | | | | ● | B4 | 5-6-61 |
| 170 | GALAXY | | | | | | ● | B4 | |
| 175 HILINE | IRON | | | | | | ● | B4 | |
| 180.7 | IRON | | | | | | ● | B4 | |
| 185 | IRON | | | | | | ● | B4 | |
| 190 | TITAN | | | | | | ● | B4 | |
| 403 | COMMANDO | | | ● | | | | B0 | |
| 453 | COMMANDO | | | ● | | | | B0 | |
| 503 | COMMANDO | | | ● | | | | B0 | |
| 603 | COMMANDO | | | ● | | | | B0 | |

OBSERVATIONS

- 1 - Specify exhaust pipe type (from bottom up, from top to bottom, side).
- 2 - Fixed or folding safety arch.
- 4 - Specify wheel measures.
- 5 - Specify front axle type.
- 6 - Specify if the tractor has front suspension.
- 7 - With original three-point, fit an upper arm.
- 9 - Specify if the tractor has a cab of origin.

- 12 - Indicate the position of the diesel cap.
- 13 - Specify if the tractor has an auxiliary tank.
- 19 - Shock adsorber is compulsory.
- 22 - Specify motor type.
- 23 - The specified loader model can be adapted without counterweights.
- 42 - Specify front wheels inside width.
- 61 - Specify if the tractor has Open circuit or Closed circuit.



EXPORT AMERICA / ASIA / OCEANIA

Contact: Sergio Alonso
Tels: +34 983 33 80 99
Fax: +34 983 37 71 60
Movil: +34 690 13 30 10
e-mail: salonso@tenias.com

EXPORT EUROPE / RUSSIA

Contact: Victor Dominguez
Tels: +34 954 51 15 44 / +34 954 51 16 45
Fax: +34 954 99 90 88
Movil: +34 670 63 92 59
e-mail: vdominguez@tenias.com


EXPORT AFRICA / ORIENTE MEDIO

Contact: Fernando Burgos
Tel. +34 983 33 80 99
Fax: +34 983 37 71 60
Movil: +34 636 97 57 65
e-mail: fburgos@tenias.com

HEAD OFFICE AND FACTORY

Pol. Ind. Valdeferrín, c/3 - Pcla. 91
50600 EJEA DE LOS CABALLEROS (Zaragoza-España)
Tel. +34 976 67 71 50
Fax +34 976 66 12 15
e-mail: tenias@tenias.com - www.tenias.com

Authorized dealer



tenías

FÁBRICA Y OFICINAS CENTRALES

Pol. Ind. Valdeferrín, c/3 - Pcla. 91
50600 EJEA DE LOS CABALLEROS (Zaragoza-España)
Tel. +34 976 67 71 50
Fax +34 976 66 12 15
e-mail: tenias@tenias.com - www.tenias.com